



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/670,966	09/25/2003	Tae Ho Kim	1630-0426PUS1	7029
2292 7590 01/06/2011 BIRCH STEWART KOLASCH & BIRCH PO BOX 747 FALLS CHURCH, VA 22040-0747				
EXAMINER				
LU'ONG, ALAN H				
ART UNIT		PAPER NUMBER		
2427				
NOTIFICATION DATE		DELIVERY MODE		
01/06/2011		ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

Office Action Summary

Application No.

10/670,966

Applicant(s)

KIM ET AL.

Examiner

ALAN LUONG

Art Unit

2427

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11/19/2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1, 6-22, 27 and 31-43 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 6-22, 27 and 31-43 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-945)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/19/2010 has been entered.

Response to Arguments

1. Applicant's arguments with respect to claims **1, 6-22, 27 and 31-43** have been considered but are moot in view of the new ground(s) of rejection.

Applicants respectfully argue Otsuka does not disclose or suggest two or more concurrent, let alone synchronized, modes of operation. Thus, Otsuka does not yield the N combinations of synchronized operating states. Collart does not cure the deficiencies of Otsuka. (Remark, page 14-15). Examiner respectfully disagrees.

In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

Collart is no longer cited in the rejection and therefore all arguments to Collart are moot. Otsuka teaches **“operation states N equates production of play back mode states X and user agent mode states Y or expression $N=XxY$ where the additional data being associated with the A/V data”**. (Otsuka, Fig. 2B, ¶0019-¶0020). In this case, Otsuka does yield the N combinations of operating states and additional data displayed together with A/V data on display in synchronized state; see Fig. 2B of Otsuka.

Lamkin discloses **“wherein the N operating states include at least a state of reproducing the A/V data from the recording medium in the first coincident operational mode together with displaying additional data in the second coincident operational mode in a synchronized state”**. (Lamkin, ¶0044 and Fig. 5, ¶0071- ¶0075).

Finally, Applicants respectfully suggest Otsuka and Lamkin fail to disclose or suggest Applicant's claimed “N operating states are discriminatively defined on the basis of relations among operating modes.” Thus, for a third reason, Applicant's amended independent claims distinguish over the applied references. (Remark, pages 16).

Lamkin teaches the new limitation of claim **“wherein the N operating states are discriminatively defined on the basis of relations among operating modes”** (Lamkin, Fig. 9, ¶0148 and Fig. 10, ¶0154)(see rejection).

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims **1, 6-22, 27 and 31-43** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Otsuka et al** (US 2003/0021593); in view of **Lamkin et al.** (US Pub. 2006/0117344).

Regarding to claim 1: Fig. 1 of Otsuka illustrates a structure of optical disc player [100] supports **a method for controlling a playback operation in a media player device** as optical disc player [100], **the method comprising:**

Fig. 1 of Otsuka illustrates optical disc player [100] **receives a user input** at user control interface [114] **for selecting one of N operating states of the media player** (i.e. Play Video from the DVD disc or search information on the Web), **each of the N operating states including first and second coincident operational modes of the media player device** (i.e. playback_mode as a first operational mode and User_Agent_Mode as a second operational mode), **the first coincident operational mode including reproducing audio/video (A/V) data recorded on a recording medium according to one of X playback states** (i.e. optical disc player operates in Normal Play back mode as one state, X=1), **the second coincident operational mode**

including processing additional data recorded on the recording medium

according to one of Y operation states (i.e. a program interpreter that recognizes certain functions stored in a program on the local optical disc 116 that controls the operations mode of the optical disc player 100 that includes the bool ForceMode which disallows user to change mode operation (i.e. User_Agent Mode: Stop, Y=1 while Playback Mode active, X=1), bool SwitchMode which toggles user operation, (i.e. user agent mode in IDLE while Playback mode continuing; X=1, Y=2, N=2) and bool AllowModeSwitch which allows user to enable change between playback mode and user agent mode (i.e. X=1, Y=3, N=3) (Otsuka, ¶0021-¶0039 and Fig. 3, ¶0041-¶0043). Fig. 2B of Otsuka shows a website document in a user agent mode wherein the HTML menu controls the playback of the video content stored on the local optical disc 116 as *the additional data being associated with the A/V data*; (Otsuka, ¶0019-¶0020) meets the limitation of **“operation states N equates production of play back mode states X and user agent mode states Y or expression $N=XxY$ where the additional data being associated with the A/V data”**.

Further, Fig. 4 of Otsuka illustrates a operation [400] of player [100] is executed by processor [102], when user control interface [114] is activated by a user (Fig. 4, ¶0044) meets the limitation of **“operating the media player in the one of the N operating states in response to the user input**.

Additionally, Fig. 2B of Otsuka illustrates play back mode for displaying video and HTML information on the screen of a displaying device [250] of Fig. 2B) (Otsuka, ¶0019) meets the claim **“wherein the N operating states include at least a state of**

reproducing the A/V data from the recording medium in the first coincident operational mode together with displaying additional data in the second coincident operational mode.

However, Otsuka is missing with respect to *“a synchronized state” in claim “the additional data in the second coincident operational mode in a synchronized state.”;*

In an analogous art. Fig. 2 of Lamkin illustrates a computer (202) is any computer able to play/display both video or audio provided by the local content source (104)(***the A/V data***) and/or web or HTML content (***the additional data***) as provided by the offsite content source (106). Additionally, computer (202) can display both video and web/HTML content synchronously. (Lamkin, **Fig. 2, ¶0039-¶0041**)

Fig. 3 of Lamkin illustrates a set-top box [302] provides selected between content video or audio provided by the local content source (104) (as DVD contents [508] of Fig. 5); and ***the additional data*** (i.e. web or HTML content [506] of Fig. 5); as provided by the offsite content source (106); (**Lamkin, ¶0037**); combines both video and web/HTML content **in a synchronized state** providing to television (308) or display device [502] of Fig. 5, for display as shown on screen [504] of Fig. 5; (**Lamkin, ¶0044 and Fig. 5, ¶0071- ¶0075**) meets the limitation of claim **“wherein the N operating states include at least a state of reproducing the A/V data from the recording medium in the first coincident operational mode together with displaying additional data in the second coincident operational mode in a synchronized state”**. Therefore, it would have been obvious to a person with ordinary skill in the art at the time of the invention

was made to modify the second coincident operational mode of Otsuka including accessing the internet to obtain artist information, order music, etc. for inserted disks and promotional information accessibility to further the aims of improving marketability and customer satisfaction. (Lamkin, ¶0007)

Finally, combined with Fig. 2B of Otsuka illustrates **wherein the N operating states include at least a state of reproducing the A/V data from the recording medium in the first coincident operational mode** as discussed above. Fig. 9, 10 of Lamkin illustrate determining if the inserted disk is a DVD or music CD (i.e. normal playback mode or InterActual mode associated with movie mode or system mode respectively; example; Fig. 9 at step 910; determine disk is DVD in system mode; the determination is made whether there is an active Internet connection (block 920), and if not, the file INDEX.HTM is launched from the DVD (block 922). Fig. 10 if disk is DVD If there is an active Internet connection, (block 1016), and if there is content for the current title (block 1020), it is displayed (block 1022) associated with the A/V data at step 1018.) (Lamkin, Fig. 9, ¶0148 and Fig. 10, ¶0154) meets the limitation of claim “**wherein the N operating states are discriminatively defined on the basis of relations among operating modes**”

Regarding to claim 6: Otsuka and Lamkin teach all limitation of the method of claim 1, Fig. 2A of Otsuka shows the optical disc player 100 of the invention operates as a standard DVD player. (Otsuka, ¶0018 and ¶0046-¶0052). It would have been obvious to one with ordinary skill in the art to know a normal DVD player can be operated in PLAY, STOP or PAUSE mode; meets the limitation of “**wherein the first coincident**

operational mode comprises at least one of play playback states associated with reproduction of the A/V data”.

Regarding to claim 7: Otsuka and Lamkin teach all limitation of the method of claim 6, Fig. 2B of Otsuka shows a website document in a user agent mode, addition, the HTML menu controls the playback of the video content stored on the local optical disc 116.

(Otsuka, ¶0019-¶0020) meets the limitation of “wherein the second coincident operational mode comprises at least one of play”

Regarding to claim 8: Otsuka and Lamkin teach all limitation of the method of claim 7, with respect to the claimed **“wherein the operating step includes playing back A/V data from the recording medium and displaying additional data received from the recording medium or the remote content provider in association with the A/V data, if the first coincident operational mode is in a play state and the second coincident operational mode is in a play state”** is met by Otsuka teaches the DISPLAY_MODE display_mode variable specifies the display mode of the optical disc player 100; If the DISPLAY_MODE display_mode value is DISPLAY_PIC_IN_PIC, then the displaying device coupled to the video/audio device interface 112 displays video playback mode and/or user agent mode in picture-in-picture format as shown in Fig. 2B **(Otsuka, ¶0019, ¶0020, ¶0055, ¶0056).**

Additionally, referring to Fig. 10, Lamkin teaches **wherein is displaying additional data received from the recording medium** (i.e. DEFAULT.HTM is launched from memory (block 1014)) **or the remote content provider** (i.e. launching DEFAULT.HTM,

a check is made whether an active Internet connection exists (block 1016)) **in association with the A/V data** (i.e. standard playback is initiated (block 1018)). (Lamkin, Fig. 10, ¶0154).

Regarding to claim 9: Otsuka and Lamkin teach all limitation of the method of claim 7, with respect to the claimed **"wherein the operating step includes displaying a still picture of a A/V data from the recording medium and displaying additional data received from the recording medium or the remote content provider in association with the A/V data, if the first coincident operational mode is in a still state and the second coincident operational mode is in a play state"**; (i.e. at step 314 of Fig. 3, video menu is disabled, and a specified mode is user agent mode, user can use HTML menu in a play state) (Otsuka, ¶0043)

However, Otsuka and Lamkin are silent with respect to **"if the first coincident operational mode is in a STILL state"**. OFFICIAL NOTICE is taken that it is well known in the art, a normal DVD player has playback mode including STOP, PLAY and PAUSE or STILL functions on remote control device. In fact, user can press a PAUSE button for freeze a video/audio picture on interface [112] of Fig. 1, to display a still image of a video content on full screen in play back mode. According to combine prior art elements according to known methods to yield predictable results (KSR Guidelines; 1st rational). Therefore, it would have been obvious to one with ordinary skill in the art at the time of the invention was made to include a Still state in a play back mode as taught by Otsuka to control playback of video content on the DVD disc.

Regarding to claims 10, 11: The method claim 7, with respect to the claimed **“wherein the operating step includes discontinuing the playback of A/V data and displaying additional data received from the recording medium or the remote content provider in association with the A/V data and the displaying step displays the additional data in full screen mode and no A/V data is displayed, if the first coincident operational mode is in a stop state and the second operational mode is in a play state”** (i.e. at step 316 of Fig. 3, video menu is disabled, and a specified mode is user agent mode, user can use HTML menu to perform web related function, such as retrieving a web document from the network interface or a web document stored on the local optical disc. In DISPLAY_MODE, Browser will full screen) (**Otsuka, ¶0043, ¶0055 and ¶0060**). However, Otsuka and Collart are silent with respect to **“if the first coincident operational mode is in a stop state”**. OFFICIAL NOTICE is taken that OFFICIAL NOTICE is taken that it is well known in the art, a normal DVD player has playback mode including STOP, PLAY and PAUSE or STILL functions on remote control device. In fact, user can press a STOP button for discontinuing the playback of A/V data from interface [112] of Fig. 1, to display Web content on full screen in user agent mode. According to combine prior art elements according to known methods to yield predictable results (KSR Guidelines; 1st rational). Therefore, it would have been obvious to one with ordinary skill in the art at the time of the invention was made to include a STOP state in a play back mode as taught by Otsuka to control playback of video content on the DVD disc.

Regarding to claims 12-14, 18 and 19: Otsuka and Lamkin teach all limitation of the method of claim 1, Otsuka discloses a specified mode in this case as a bool ForceMode which user agent mode is NOT operated to prevent user using HTML menu to control play back mode of DVD player while only play back mode of DVD player is allowed; and on DISPLAY MODE will display Video playback in Full screen; (**Otsuka, step 306 of Fig. 3, ¶0042 and ¶0056**) meets the limitation of “**wherein if the first coincident operational mode is in a play state and the second coincident operational mode is in an idle state, then the device plays back the A/V data and the device temporarily discontinues receiving additional data from the enhanced navigation medium or the remote content provider in association with the A/V data and the device plays back A/V data in full screen mode.**”

Regarding to claims 15 and 16: In the method of claim 1, Otsuka also discloses that wherein **if the first coincident operational mode is in a still state and the second coincident operational mode is in an idle state then the device temporarily discontinues playing back the A/V data and the device temporarily discontinues receiving additional data from the enhanced navigation medium.** (i.e. Otsuka discloses a specified mode in this case as a bool ForceMode which user agent mode is NOT operated to prevent user using HTML menu to control play back mode of DVD player while only play back mode of DVD player is allowed; and on DISPLAY MODE will display Video playback in Full screen; the processor 102 under the control of the program interpreter disables the user control interface 114 to prevent a user from

changing the operations mode of the optical disc player 100. (**Otsuka, Fig. 2A, ¶0018, step 306 of Fig. 3, ¶0042**)

However, Otsuka and Lamkin are silent with respect to **“if the first coincident operational mode is in a STILL state”**. OFFICIAL NOTICE is taken that it is well known in the art, a normal DVD player has playback mode including STOP, PLAY and PAUSE or STILL functions on remote control device. In fact, user can press a PAUSE button for freeze a video/audio picture on interface [112] of Fig. 1, to display a still image of a video content on full screen in play back mode. According to combine prior art elements according to known methods to yield predictable results (KSR Guidelines; 1st rational). Therefore, it would have been obvious to one with ordinary skill in the art at the time of the invention was made to include a Still state in a play back mode as taught by Otsuka to control playback of video content on the DVD disc.

Regarding to claim 17: In the method of claim 1, Otsuka further discloses **wherein if the first coincident operational mode is in a stop state and the second coincident operational mode is in an idle state, then the device discontinues playing back the A/V data and the device temporarily discontinues receiving additional data from the enhanced navigation medium**. (i.e. at step 306 of Fig. 3, play back mode is enabled only, the processor 102 under the control of the program interpreter disables the user control interface 114 to prevent a user from changing the operations mode of the optical disc player 100) (**step 306 of Fig. 3, ¶0042**) meets the claimed with respect to **“the device temporarily discontinues receiving additional data from the enhanced navigation medium”**. However, Otsuka and Lamkin are silent with respect

to **"if the first coincident operational mode is in a stop state"**. OFFICIAL NOTICE is taken that it is well known in the art, a normal DVD player has playback mode including STOP, PLAY and PAUSE or STILL functions on remote control device. In fact, user can press a STOP button for discontinuing the playback of A/V data from interface [112] of Fig. 1. According to combine prior art elements according to known methods to yield predictable results (KSR Guidelines; 1st rational). Therefore, it would have been obvious to one with ordinary skill in the art at the time of the invention was made to include a STOP state in a play back mode as taught by Otsuka to control playback of video content on the DVD disc.

Regarding to claim 20: The method of claim 7, Otsuka further discloses **"wherein the operating step includes temporarily discontinuing a playback of the A/V data and discontinuing a receiving of additional data from the recording medium, if the first coincident operational mode is in a pause state and the second coincident operational mode is in a stop state"** merely repeats the same scope of claim 15 and 16, claim 20 is rejected for the same reason as discussed in claim 15, 16.

Regarding to claim 21: The method of claim 7, with respect to the claimed **"wherein the operating step includes discontinuing a playback of the A/V data and discontinuing a receiving of additional data from the recording medium or the remote content provider in association with the A/V data, if the first coincident operational mode is in a stop state and the second coincident operational mode is in a stop state"** merely repeats the same scope of claim 17, claim 21 is rejected for the same reason as discussed in claim 17.

Regarding to claim 22: Fig. 1 of Otsuka illustrates a block diagram of an **enhanced media player [100], comprising:**

a playback engine [block 104] configured to reproduce A/V data from a recording medium [116]; an enhanced navigation engine [stored program in storage 116] configured to reproduce additional data from the recording medium [116] or a remote content provider through network interface [110] and a controller [102] operably coupled to the playback engine and the enhanced navigation engine and configured to control reproduction of the A/V data and/or additional data, (Otsuka, ¶0016-¶0017) wherein the controller is further configured to

Fig. 1 of Otsuka illustrates optical disc player [100] **receives a user input** at user control interface [114] **for selecting one of N operating states of the media player** (i.e. Play Video from the DVD disc or search information on the Web), **each of the N operating states including first and second coincident operational modes of the media player device** (i.e. playback_mode and User_Agent_Mode), **the first coincident operational mode including reproducing audio/video (A/V) data recorded on a recording medium according to one of X playback states** (i.e. optical disc player operates in Normal Play back mode including PLAY,(Fast-Forward or Rewind), STOP and PAUSE or STILL), **the second coincident operational mode including processing additional data recorded on the recording medium or provided from the remote content provider according to one of Y operation states** (i.e. User_Agent_Mode in the bool ForceMode which disallows user to change mode operation, bool SwitchMode which toggles user operation, example: user agent mode in

IDLE while Play mode continuing and bool AllowModeSwitch which allows user to enable change playback mode and user agent mode) (Otsuka, ¶¶0021-¶¶0039 and Fig. 3, ¶¶0041-¶¶0043),

Fig. 2B of Otsuka shows a website document in a user agent mode, additional information displaying with A/V information on PIP screen, the HTML menu controls the playback of the video content stored on the local optical disc 116. (Otsuka, ¶¶0019-¶¶0020) meets the limitation of **"operation states N equates production of play back mode states X and user agent mode states Y or expression $N=XxY$ where the additional data being associated with the A/V data;**

Additionally, Fig. 2B of Otsuka illustrates play back mode for displaying video and HTML information on the screen of a displaying device [250] of Fig. 2B) (Otsuka, ¶¶0019) meets the claim **"wherein the N operating states include at least a state of reproducing the A/V data from the recording medium in the first coincident operational mode together with displaying additional data in the second coincident operational mode.**

However, Otsuka is missing with respect to *"a synchronized state"* in claim *"the additional data in the second coincident operational mode in a synchronized state."*;

In an analogous art. Fig. 2 of Lamkin illustrates a computer (202) is any computer able to play/display both video or audio provided by the local content source (104)(*the A/V data*) and/or web or HTML content (*the additional data*) as provided by the offsite

content source (106). Additionally, computer (202) can display both video and web/HTML content synchronously. (Lamkin, **Fig. 2, ¶0039-¶0041**).

Fig. 3, 5 of Lamkin illustrate a set-top box [302] provides selected between content video or audio provided by the local content source (104) (as DVD contents [508] of Fig. 5); and **the additional data** (web or HTML content [506] of Fig. 5); as provided by the offsite content source (106); (**Lamkin, ¶0037**); combines both video and web/HTML content **in a synchronized state** providing to television (308) or display device [502] of Fig. 5, for display as shown on screen [504] of Fig. 5; (**Lamkin, ¶0044 and Fig. 5, ¶0071- ¶0075**) meets the limitation of claim “**wherein the N operating states include at least a state of reproducing the A/V data from the recording medium in the first coincident operational mode together with displaying additional data in the second coincident operational mode in a synchronized state**”. Therefore, it would have been obvious to a person with ordinary skill in the art at the time of the invention was made to modify the second coincident operational mode of Otsuka including accessing the internet to obtain artist information, order music, etc. for inserted disks and promotional information accessibility to further the aims of improving marketability and customer satisfaction. (Lamkin, **¶0007**)

Finally, Additionally, combined with Fig. 2B of Otsuka illustrates **wherein the N operating states include at least a state of reproducing the A/V data from the recording medium in the first coincident operational mode** as discussed above, Fig. 9, 10 of Lamkin illustrate determining if the inserted disk is a DVD or music CD (i.e. normal playback mode or InterActual mode associated with movie mode or system

mode respectively; example; Fig. 9 at step 910; determine disk is DVD in system mode; the determination is made whether there is an active Internet connection (block 920), and if not, the file INDEX.HTM is launched from the DVD (block 922). Fig. 10 if disk is DVD If there is an active Internet connection, (block 1016), and if there is content for the current title (block 1020), it is displayed (block 1022) associated with the A/V data at step 1018.) (Lamkin, Fig. 9, ¶0148 and Fig. 10, ¶0154) meets the limitation of claim “wherein the N operating states are discriminatively defined on the basis of relations among operating modes”

Regarding to claim 27: The player of claim 22, merely repeats the same function components of claim 6 and 7 combination, claim 27 is rejected for the same reasons as discussed in claim 6 and 7 combination; (see claim 6 and 7 rejection).

Regarding to claim 31: The player of claim 27, Fig. 4 of Otsuka indicates **wherein the controller [102] is configured to control the enhanced media player to play back A/V data from the recording medium and to display additional data received from the recording medium or the remote content provider in association with the A/V data, if the first coincident operational mode is in a play state and the second coincident operational mode is in a play state**” merely repeats the same function components of claim 8, claim 31 is rejected for the same reasons as discussed in claim 8 (see claim 8 rejection).

Regarding to claim 32: The player of claim 27, Fig. 4 of Otsuka also indicates **wherein the controller [102] is configured to control the operating state** when user activates

the BUTTON switch (§0044), with respect to the claim 32 merely repeats the same function components of claim 9, claim 32 is rejected for the same reasons as discussed in claim 9 (**see claim 9 rejection**).

Regarding to claims 33, 34: The player of claim 27, Fig. 4 of Otsuka indicates **wherein the controller [102] is configured to control the operating state** when user activates the BUTTON switch (§0044), with respect to the claims 33, 34 merely repeat the same function components of claims 10 and 11, claims 33, 34 are rejected for the same reasons as discussed in claims 10 and 11 (**see claim 10, 11 rejection**).

Regarding to claim 35: The player of claim 27, wherein the controller [102] is configured to control the enhanced media player to play back the A/V data and to continue receiving of additional data from the recording medium in association with the A/V data while discontinuing a displaying of the additional data, if the first coincident operational mode is in a play state and the second coincident operational mode is in an idle state" is met by Otsuka discloses that *"a specified mode in this case as a bool ForceMode which user agent mode is NOT operated to prevent user using HTML menu to control play back mode of DVD player while only play back mode of DVD player is allowed; and on DISPLAY MODE will display Video playback in Full screen"*; (Otsuka, step 306 of Fig. 3, §0042 and §0056)

Regarding to claim 36: The player of claim 27, with respect to the claim 36 merely repeat the same function components of claim 21, claim 36 is rejected for the same reasons as discussed in claim 21; (**see claim 21 rejection**).

Regarding to claim 37: The player of claim 36, Fig. 4 of Otsuka indicates **wherein the controller [102] is configured to control the operating state** when user activates the BUTTON switch (§0044), with respect to the claim 37 “**wherein the controller is configured to control the playback engine to display a still image of the last A/V data displayed**”, with respect to the claim 37 merely repeat the same features of claim 15, 16; claim 37 is rejected for the same reasons as discussed in claim 15, 16; (see claim 15,16 rejection).

Regarding to claim 38: The player of claim 27, Fig. 4 of Otsuka indicates **wherein the controller [102] is configured to control the enhanced media player to discontinue** when user activates the BUTTON switch (§0044), with respect to the claim 38 merely repeat the same features of claim 21, claim 38 is rejected for the same reasons as discussed in claim 21; (see claim 21 rejection).

Regarding to claim 39: The player of claim 27, Fig. 4 of Otsuka indicates **wherein the controller [102] is configured to control the operating state** when user activates the BUTTON switch (§0044), with respect to the claim 39 merely repeat the same features of claim 35, claim 39 is rejected for the same reasons as discussed in claim 35; (see claim 35 rejection).

Regarding to claim 40: The player of claim 27, Fig. 4 of Otsuka indicates **wherein the controller [102] is configured to control the enhanced media player to discontinue a playback of the A/V data**, when user activates the BUTTON switch (§0044), with

respect to the claim 40 merely repeat the same features of claim 20, claim 40 is rejected for the same reasons as discussed in claim 20; (see claim 20 rejection).

Regarding to claim 41: The player of claim 27, Fig. 4 of Otsuka indicates **wherein the controller [102] is configured to control the operating state** when user activates the BUTTON switch (¶0044), with respect to the claim 41 merely repeat the same features of claim 21, claim 41 is rejected for the same reasons as discussed in claim 21; (see claim 21 rejection).

Regarding to claim 42: The player of claim 22, further comprising:

Fig. 1 of Otsuka illustrates [110] as **a communication interface configured to communicate with the remote content provider to receive the additional data** (¶0016, ¶0017, ¶0019).

Regarding to claim 43: The player of claim 42, further comprising:

Fig. 1 of Otsuka illustrates [106 or 108] **as a data storage configured by processor [102] to store the additional data** as a program interpreter **from the remote content provider** as web browser or internet **or from the recording medium** as local disc [116]. (¶0005, ¶0016).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ALAN LUONG whose telephone number is (571)270-5091. The examiner can normally be reached on Mon.-Thurs., 8:00am-5pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Scott Beliveau can be reached on (571) 272-7343. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/FARZANA HOSSAIN/
Primary Examiner, Art Unit 2424

/ALAN LUONG/
Examiner, Art Unit 2427